



30 Series (3" Case - 1.75" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A3009B	3"	9"	1.75"	9"			Blank	6
A3009S	3"	9"	1.75"	14"	1.75"	1.75"	Straight	6
A3012B	3"	12"	1.75"	12"			Blank	6
A3012S	3"	12"	1.75"	17"	1.75"	1.75"	Straight	6
A3012S-3	3"	12"	2"	17"	2"	2"	Straight	6
A3015B	3"	15"	1.75"	15"			Blank	6
A3015S	3"	15"	1.75"	20"	1.75"	1.75"	Straight	6
A3018B	3"	18"	1.75"	18"			Blank	6
A3018S	3"	18"	1.75"	23"	1.75"	1.75"	Straight	6
A3022B	3"	22"	1.75"	22"			Blank	6
A3022S	3"	22"	1.75"	27"	1.75"	1.75"	Straight	6
A3026B	3"	26"	1.75"	26"			Blank	6
A3026S	3"	26"	1.75"	31"	1.75"	1.75"	Straight	6

35 Series (3.5" case - 2" & 2.25" core, aluminized)

Aluminized Part#	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A3509B	3.5"	9"	2.25"	9"			Blank	6
A3509S	3.5"	9"	2"	14"	2"	2"	Straight	6
A3509S-5	3.5"	9"	2.25"	14"	2.25"	2.25"	Straight	6
A3512B	3.5"	12"	2.25"	12"			Blank	6
A3512M	3.5"	12"	2.25"	17"	2"	2"	Medium	6
A3512S	3.5"	12"	2"	17"	2"	2"	Straight	6
A3512S-5	3.5"	12"	2.25"	17"	2.25"	2.25"	Straight	6
A3514B	3.5"	14"	2.25"	14"			Blank	6
A3514S	3.5"	14"	2"	19"	2"	2"	Straight	6
A3516B	3.5"	16"	2.25"	16"			Blank	6
A3516M	3.5"	16"	2.25"	21"	2"	2"	Medium	6
A3516M-5	3.5"	16"	2.25"	21"	2.25"	2.25"	Medium	6
A3516S	3.5"	16"	2"	21"	2"	2"	Straight	6
A3516S-5	3.5"	16"	2.25"	21"	2.25"	2.25"	Straight	6
A3518B	3.5"	18"	2.25"	18"			Blank	6
A3518F	3.5"	18"	2.25"	23"	2"	2"	Full	6
A3518F-5	3.5"	18"	2.25"	23"	2.25"	2.25"	Full	6
A3518M	3.5"	18"	2.25"	23"	2"	2"	Medium	6
A3518M-5	3.5"	18"	2.25"	23"	2.25"	2.25"	Medium	6
A3518S	3.5"	18"	2"	23"	2"	2"	Straight	6
A3518S-5	3.5"	18"	2.25"	23"	2.25"	2.25"	Straight	6
A3518S-8	3.5"	18"	2.25"	23"	2.5"	2.5"	Straight	6
A3520B	3.5"	20"	2.25"	20"			Blank	6
A3520S	3.5"	20"	2"	25"	2"	2"	Straight	6

(Continued)




Blank



Straight



Medium



Full

35 Series (3.5" case - 2" & 2.25" core, aluminized)

Aluminized Part#	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A3520S-5	3.5"	20"	2.25"	25"	2.25"	2.25"	Straight	6
A3522B	3.5"	22"	2.25"	22"			Blank	6
A3522F	3.5"	22"	2.25"	27"	2"	2"	Full	6
A3522M	3.5"	22"	2.25"	27"	2"	2"	Medium	6
A3522S	3.5"	22"	2"	27"	2"	2"	Straight	6
A3522S-5	3.5"	22"	2.25"	27"	2.25"	2.25"	Straight	6
A3524B	3.5"	24"	2.25"	24"			Blank	6
A3524M	3.5"	24"	2.25"	29"	2"	2"	Medium	6
A3524S	3.5"	24"	2"	29"	2"	2"	Straight	6
A3524S-5	3.5"	24"	2.25"	29"	2.25"	2.25"	Straight	6
A3524S-8	3.5"	24"	2.25"	29"	2.5"	2.5"	Straight	6
A3526B	3.5"	26"	2.25"	26"			Blank	6
A3526M	3.5"	26"	2.25"	31"	2"	2"	Medium	6
A3526S	3.5"	26"	2"	31"	2"	2"	Straight	6
A3530B	3.5"	30"	2.25"	30"			Blank	6
A3530S	3.5"	30"	2"	35"	2"	2"	Straight	6
A3530S-5	3.5"	30"	2.25"	35"	2.25"	2.25"	Straight	6
A3536B	3.5"	36"	2.25"	36"			Blank	6
A3536S	3.5"	36"	2"	41"	2"	2"	Straight	6
A3540B	3.5"	40"	2.25"	40"			Blank	6
A3540S	3.5"	40"	2"	45"	2"	2"	Straight	6

40 Series (4" case - 2.25" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A4012B	4"	12"	2.25"	12"			Blank	4
A4012S	4"	12"	2.25"	17"	2.25"	2.25"	Straight	4
A4015B	4"	15"	2.25"	15"			Blank	4
A4015S	4"	15"	2.25"	20"	2.25"	2.25"	Straight	4
A4018B	4"	18"	2.25"	18"			Blank	4
A4018F	4"	18"	2.25"	23"	2.25"	2.25"	Full	4
A4018M	4"	18"	2.25"	23"	2.25"	2.25"	Medium	4
A4018S	4"	18"	2.25"	23"	2.25"	2.25"	Straight	4
A4020B	4"	20"	2.25"	20"			Blank	4
A4020S	4"	20"	2.25"	25"	2.25"	2.25"	Straight	4

Nipple Size Ordering Chart All Nipples are "ID" Inside Diameter

3 = 2" x 2"
 4 = 2-1/4" x 2"
 5 = 2-1/4" x 2-1/4"
 6 = 2-1/2" x 2"
 7 = 2-1/2" x 2-1/4"
 8 = 2-1/2" x 2-1/2"
 9 = 3" x 3"

Suffix Codes for Ordering Information

B = Blanks
 S = Straight Necks
 MO = Mild Offset Necks
 FO = Full Offset Necks



40 Series (4" case - 2.25" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A4022B	4"	22"	2.25"	22"			Blank	4
A4022S	4"	22"	2.25"	27"	2.25"	2.25"	Straight	4
A4024B	4"	24"	2.25"	24"			Blank	4
A4024S	4"	24"	2.25"	29"	2.25"	2.25"	Straight	4
A4026B	4"	26"	2.25"	26"			Blank	4
A4026S	4"	26"	2.25"	31"	2.25"	2.25"	Straight	4
A4030B	4"	30"	2.25"	30"			Blank	4
A4030S	4"	30"	2.25"	35"	2.25"	2.25"	Straight	4
A4036B	4"	36"	2.25"	36"			Blank	4
A4036S	4"	36"	2.25"	41"	2.25"	2.25"	Straight	4
A4040B	4"	40"	2.25"	40"			Blank	4
A4040S	4"	40"	2.25"	45"	2.25"	2.25"	Straight	4

45 Series (4" case - 2.5" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A4512B	4"	12"	2.5"	12"			Blank	4
A4512S	4"	12"	2.5"	17"	2.5"	2.5"	Straight	4
A4515B	4"	15"	2.5"	15"			Blank	4
A4515S	4"	15"	2.5"	20"	2.5"	2.5"	Straight	4
A4518B	4"	18"	2.5"	18"			Blank	4
A4518S	4"	18"	2.5"	23"	2.5"	2.5"	Straight	4
A4520B	4"	20"	2.5"	20"			Blank	4
A4520S	4"	20"	2.5"	25"	2.5"	2.5"	Straight	4
A4522B	4"	22"	2.5"	22"			Blank	4
A4522S	4"	22"	2.5"	27"	2.5"	2.5"	Straight	4
A4524B	4"	24"	2.5"	24"			Blank	4
A4524S	4"	24"	2.5"	29"	2.5"	2.5"	Straight	4
A4526B	4"	26"	2.5"	26"			Blank	4
A4526S	4"	26"	2.5"	31"	2.5"	2.5"	Straight	4
A4530B	4"	30"	2.5"	30"			Blank	4
A4530S	4"	30"	2.5"	35"	2.5"	2.5"	Straight	4
A4536B	4"	36"	2.5"	36"			Blank	4
A4536S	4"	36"	2.5"	41"	2.5"	2.5"	Straight	4
A4540B	4"	40"	2.5"	40"			Blank	4
A4540S	4"	40"	2.5"	45"	2.5"	2.5"	Straight	4

Nipple Size Ordering Chart All Nipples are "ID" Inside Diameter

3 = 2" x 2"
 4 = 2-1/4" x 2"
 5 = 2-1/4" x 2-1/4"
 6 = 2-1/2" x 2"
 7 = 2-1/2" x 2-1/4"
 8 = 2-1/2" x 2-1/2"
 9 = 3" x 3"

Suffix Codes for Ordering Information

B = Blanks
 S = Straight Necks
 MO = Mild Offset Necks
 FO = Full Offset Necks



43 Series (4" case - 3" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A4312B	4"	12"	3"	12"			Blank	4
A4312S	4"	12"	3"	17"	3"	3"	Straight	4
A4315B	4"	15"	3"	15"			Blank	4
A4315S	4"	15"	3"	20"	3"	3"	Straight	4
A4318B	4"	18"	3"	18"			Blank	4
A4318S	4"	18"	3"	23"	3"	3"	Straight	4
A4322B	4"	22"	3"	22"			Blank	4
A4322S	4"	22"	3"	27"	3"	3"	Straight	4
A4322S-8	4"	22"	3"	27"	2.5"	2.5"	Straight	4
A4324B	4"	24"	3"	24"			Blank	4
A4324S	4"	24"	3"	29"	3"	3"	Straight	4
A4330B	4"	30"	3"	30"			Blank	4
A4330S	4"	30"	3"	35"	3"	3"	Straight	4

50 Series (5" case - 3" core, aluminized)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
A5018B	5"	18"	3"	18"			Blank	2
A5018B-350	5"	18"	3.5"*	18"			Blank	1
A5018B-400	5"	18"	4"*	18"			Blank	1
A5018S	5"	18"	3"	23"	3"	3"	Straight	2
A5022B	5"	22"	3"	22"			Blank	2
A5022S	5"	22"	3"	27"	3"	3"	Straight	2
A5024B	5"	24"	3"	24"			Blank	2
A5024B-350	5"	24"	3.5"*	24"			Blank	1
A5024B-400	5"	24"	4"*	24"			Blank	1
A5024S	5"	24"	3"	29"	3"	3"	Straight	2
A5026B	5"	26"	3"	26"			Blank	2
A5026S	5"	26"	3"	31"	3"	3"	Straight	2
A5030B	5"	30"	3"	30"			Blank	2
A5030S	5"	30"	3"	35"	3"	3"	Straight	2

* Now Available in 3.5" & 4" Cores!



35 Series Specialty (header & twin)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
ADS200	3.5"	18"	2.5"	36"	2.5"	2"	Twin Combo	1
AH18	3.5"	18"	2.25"	25"	3", 3-Hole	2"	3-Hole Header	1
AH18A	3.5"	18"	2.25"	25"	3", 3-Hole	2.25"	3-Hole Header	1

Glasspack Mufflers

Torpedo Pack Mufflers



Blank Torpedo Pack



Torpedo Pack w/Neck

Torpedo Glasspacks (Dual Outlet)

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
APP4315-9-5	4"	15"	3"	33"	3"	2.25"	Dual Outlet	1
APP4315-9-8	4"	15"	3"	33"	3"	2.5"	Dual Outlet	1
APP4315-B-5	4"	15"	3"	30"	Blank	2.25"	Dual Outlet	1
APP4315-B-8	4"	15"	3"	30"	Blank	2.5"	Dual Outlet	1
APP4318-9-5	4"	18"	3"	36"	3"	2.25"	Dual Outlet	1
APP4318-9-8	4"	18"	3"	36"	3"	2.5"	Dual Outlet	1
APP4318-B-5	4"	18"	3"	33"	Blank	2.25"	Dual Outlet	1
APP4318-B-8	4"	18"	3"	33"	Blank	2.5"	Dual Outlet	1
APP4515-234-5	4"	15"	2.5"	33"	2.75"	2.25"	Dual Outlet	1
APP4515-234-8	4"	15"	2.5"	33"	2.75"	2.5"	Dual Outlet	1
APP4515-5-5	4"	15"	2.5"	33"	2.25"	2.25"	Dual Outlet	1
APP4515-8-5	4"	15"	2.5"	33"	2.5"	2.25"	Dual Outlet	1
APP4515-8-8	4"	15"	2.5"	33"	2.5"	2.5"	Dual Outlet	1
APP4515-9-5	4"	15"	2.5"	33"	3"	2.25"	Dual Outlet	1
APP4515-B-5	4"	15"	2.5"	30"	Blank	2.25"	Dual Outlet	1
APP4515-B-8	4"	15"	2.5"	30"	Blank	2.5"	Dual Outlet	1
APP4518-8-5	4"	18"	2.5"	36"	2.5"	2.25"	Dual Outlet	1
APP4518-8-8	4"	18"	2.5"	36"	2.5"	2.5"	Dual Outlet	1

Turbo Tube Mufflers & Welded Resonators

AR SERIES - ALUMINIZED WELDED RESONATORS

See Page 15 for Nipple Size and Suffix Chart



Blank



Straight



With Downspout

Aluminized Welded Resonators

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
AR3012B	3"	12"	1.75"	12"			Blank	6
AR3012S	3"	12"	1.75"	17"	1.75"	1.75"	Straight	6
AR3012S-3	3"	12"	2"	17"	2"	2"	Straight	6
AR3012S-5	3"	12"	2.25"	17"	2.25"	2.25"	Straight	6
AR3014B	3"	14"	1.75"	14"			Blank	6
AR3014S	3"	14"	1.75"	19"	1.75"	1.75"	Straight	6
AR3514B	3.5"	14"	2.25"	14"			Blank	6
AR3514S	3.5"	14"	2"	19"	2"	2"	Straight	6
AR200	3.5"	16"	2"	30"	2"	2"	With Downspout	1
AR225	3.5"	16"	2.25"	30"	2.25"	2.25"	With Downspout	1
AR4011S-3	4"	11"	2"	16"	2"	2"	Straight	1
AR4016S	4"	16"	2.25"	23"	2.25"	2.25"	Straight	1
AR4016S-3	4"	16"	2"	23"	2"	2"	Straight	1



Turbo Tube Mufflers & Welded Resonators

Turbo Tube Mufflers



Aluminized
Reversible Guaranteed
Performance Not Affected

See Page 15 for Nipple
Size and Suffix Chart



Blank



Straight



Medium



Full



Dual Outlet

4" Twin Turbo Tube Mufflers

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
ATT12B	4"	12"	1.75" (2)	12"				4
ATT12S-1	4"	12"	1.75" (2)	18"	1.75"	1.75"	Straight	4
ATT12S-3	4"	12"	1.75" (2)	18"	2"	2"	Straight	4
ATT12S-5	4"	12"	1.75"	18"	2.25"	2.25"	Straight	4
ATT15B	4"	15"	1.75"	15"			Blank	4
ATT15F-3	4"	15"	1.75"	21"	2"	2"	Full	4
ATT15F-5	4"	15"	1.75"	21"	2.25"	2.25"	Full	4
ATT15M-3	4"	15"	1.75"	21"	2"	2"	Medium	4
ATT15M-5	4"	15"	1.75"	21"	2.25"	2.25"	Medium	4
ATT15S-1	4"	15"	1.75"	21"	1.75"	1.75"	Straight	4
ATT15S-3	4"	15"	1.75"	21"	2"	2"	Straight	4
ATT15S-4	4"	15"	1.75"	21"	2.25"	2"	Straight	4
ATT15S-5	4"	15"	1.75"	21"	2.25"	2.25"	Straight	4
ATT15S-8	4"	15"	1.75"	21"	2.5"	2.5"	Straight	4
ATT18B	4"	18"	1.75"	18"			Blank	4
ATT18F-3	4"	18"	1.75"	24"	2"	2"	Full	4
ATT18M-3	4"	18"	1.75"	24"	2"	2"	Medium	4
ATT18M-5	4"	18"	1.75"	24"	2.25"	2.25"	Medium	4
ATT18S-1	4"	18"	1.75"	24"	1.75"	1.75"	Straight	4
ATT18S-3	4"	18"	1.75"	24"	2"	2"	Straight	4
ATT18S-3-5U	4"	18"	1.75"	31"	2"	2.25"	Dual Outlet	1
ATT18S-4	4"	18"	1.75"	24"	2.25"	2"	Straight	4
ATT18S-5	4"	18"	1.75"	24"	2.25"	2.25"	Straight	4
ATT18S-8	4"	18"	1.75"	24"	2.5"	2.5"	Straight	4
ATT22B	4"	22"	1.75"	22"			Blank	4
ATT22S-3	4"	22"	1.75"	28"	2"	2"	Straight	4
ATT22S-5	4"	22"	1.75"	28"	2.25"	2.25"	Straight	4
ATT24B	4"	24"	1.75"	24"			Blank	4
ATT24S-3	4"	24"	1.75"	30"	2"	2"	Straight	4
ATT24S-5	4"	24"	1.75"	30"	2.25"	2.25"	Straight	4
ATT24S-8	4"	24"	1.75"	30"	2.5"	2.5"	Straight	4

5" Twin Turbo Tube Mufflers

Aluminized Part #	Case Diameter	Case Length	Core Diameter	Overall Length	Neck Inlet	Neck Outlet	Neck Configuration	Package Quantity
ATT5018B	5"	18"	2.25"	18"	2.5"	2.5"	Blank	2
ATT5018S-8	5"	18"	2.25"	24"	2.5"	2.5"	Straight	2
ATT5018S-8-5U	5"	18"	2.25"	31"	2.5"	2.25"	Dual Outlet	1
ATT5018S-9	5"	18"	2.25"	24"	3"	3"	Straight	2
ATT5018S-9-5U	5"	18"	2.25"	31"	3"	2.25"	Dual Outlet	1
ATT5024B	5"	24"	2.25"	24"	2.5"	2.5"	Blank	2
ATT5024S-8	5"	24"	2.25"	30"	2.5"	2.5"	Straight	2
ATT5024S-9	5"	24"	2.25"	30"	3"	3"	Straight	2
ATT5024S-9-5U	5"	24"	2.25"	37"	3"	2.25"	Dual Outlet	1