





**MICHAELS
UNIVERSAL
AP
CATALOG
THAT
AP
WON'T
DO**














4" ROUND




5" ROUND




6" ROUND



6" ROUND









7" ROUND




CENTER / CENTER

3 1/4 X 7 3/4











CENTER / CENTER

4 1/4 X 8 3/4












CENTER / CENTER

4" ROUND












OFFSET / CENTER

3 1/4 X 7 3/4




OFFSET / CENTER

4 1/4 X 8 3/4




OFFSET / CENTER

4 1/4 X 8 3/4



OFFSET / CENTER

























4 1/16 X 10 1/2



REVERSE FOR SOME APPLICATIONS









OFFSET / CENTER

4 1/16 X 10 1/2














OFFSET / CENTER

4 1/16 X 10 1/2




OFFSET / CENTER

4 1/2 X 11




















OFFSET / CENTER

5 ½ X 11 OVAL




OFFSET / CENTER


7 X 9 OVAL




OFFSET / OFFSET
3 1/4 X 7 3/4 OVAL




















OFFSET / OFFSET
4 1/4 X 8 3/4 OVAL





OFFSET / OFFSET
4 1/16 X 10 1/2 OVAL




















OFFSET / OFFSET
4 1/16 X 10 1/2 OVAL




OFFSET / OFFSET
4 1/2 X 11 OVAL







OFFSET / OFFSET
7 X 9 OVAL





CENTER / DUAL
4 1/4 X 8 3/4 OVAL




CENTER / DUAL
4 1/16 X 10 1/2 OVAL




CENTER / DUAL
4 1/2 X 11 OVAL




DUAL / CENTER
5 1/2 X 11 OVAL




CENTER / DUAL
7 X 9 OVAL




½ SINGLE / DUAL TRANSVERSE
4 1/16 X 10






TRANSVERSE
4 1/16 X 10 ½





DUAL / DUAL
4 1/16 X 10 ½



6" ROUND



3 1/4" x 7 3/4"



















ECONOMY MUFFLERS

Sorted first by Cross Section, then
Shell Length, then Inlet Diameter.















ENFORCER II®

4 1/4" x 8 3/4"



ENFORCER MUFFLERS BY DIMENSION

4 1/16" x 10 1/2"






ECONOMY MUFFLERS

ENFORCER II®




7" x 9"

360° WELDED NECKS



7" Round

360° WELDED NECKS



ENFORCER MUFFLERS BY DIMENSION

NEW



ADVANCE PRODUCT NOTICE

Notice #: AP131-2024

Date: October 31, 2024

Universal MSL Mufflers – 5.50" X 11" Side Inlet



PART #	OAL	BODY	INLET	OUTLET
709040	27"	24"	2.25"	2.25"
709041	27"	24"	2.50"	2.50"



PART #	OAL	BODY	INLET	OUTLET
709042	27"	24"	2.25"	2.25"



PART #	OAL	BODY	INLET	OUTLET
709043	27"	24"	2.25"	2.25"
709044	27"	24"	2.50"	2.50"



PART #	OAL	BODY	INLET	OUTLET
709045	30"	24"	2.25"	2.25"
709046	30"	24"	2.50"	2.50"



PART #	OAL	BODY	INLET	OUTLET
709047	30"	24"	2.25"	2.25"
709048	30"	24"	2.50"	2.50"

Part #	Description	Weight	Boxed	Length	Width	Height	UPC Code	Product Code	Commodity Code
709040	MSL Muffler	15.69	Boxed	27.25	14.13	5.63	085337407081	20	019
709041	MSL Muffler	15.88	Boxed	27.25	14.13	5.63	085337407098	20	019
709042	MSL Muffler	16.38	Boxed	27.25	14.13	5.63	085337407104	20	019
709043	MSL Muffler	15.50	Boxed	27.25	14.13	5.63	085337407111	20	019
709044	MSL Muffler	15.75	Boxed	27.25	14.13	5.63	085337407128	20	019
709045	MSL Muffler	17.31	Boxed	30.25	14.13	5.63	085337407135	20	019
709046	MSL Muffler	17.44	Boxed	30.25	14.13	5.63	085337407142	20	019
709047	MSL Muffler	16.94	Boxed	30.25	14.13	5.63	085337407159	20	019
709048	MSL Muffler	16.88	Boxed	30.25	14.13	5.63	085337407166	20	019











UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**®

4" ROUNDS



MSL BY DIMENSION

NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.







U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler







U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

5" ROUNDS



6" ROUNDS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

6" ROUNDS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.













DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

MSL BY DIMENSION

7" ROUNDS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.




UNIVERSAL SPECS

by DIMENSION











Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

7" ROUNDS



3 1/4" x 7 3/4" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.


DF - Direct Fit Muffler

U - Universal Muffler


HS - Denotes Heat Shield is on muffler.

MSL BY DIMENSION

3 1/4" x 7 3/4" OVALS



4 1/4" x 8 3/4" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

4 1/4" x 8 3/4" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.















DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

MSL BY DIMENSION

4 1/4" x 8 3/4" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

4 1/16" x 10 1/2" OVALS



MSL BY DIMENSION

NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

















U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

4 1/16" x 10 1/2" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then
Shell Length, then Inlet Diameter.

MAXIMUM **TMSL**

4 1/16" x 10 1/2" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.


DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

MSL BY DIMENSION

4 1/16" x 10 1/2" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then
Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

4 1/16" x 10 1/2" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.










DF - Direct Fit Muffler

U - Universal Muffler









HS - Denotes Heat Shield is on muffler.

MSL BY DIMENSION

4 1/16" x 10 1/2" OVALS



5 1/2" x 11" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.
















UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

5½" x 11" OVALS



MSL BY DIMENSION

NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.


U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

7" x 9" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**

7" x 9" OVALS



MSL BY DIMENSION

NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.














U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.

7" x 9" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.


UNIVERSAL SPECS

by DIMENSION

Sorted first by Cross Section, then Shell Length, then Inlet Diameter.

MAXIMUM **MSL**®

8 1/2" x 11 1/2" OVALS



NOTE: Black area denotes welded head bracket.

DF-U - Denotes muffler used primarily as Direct Fit, but is also Universal.

U-DF - Denotes muffler used primarily as Universal, but is also Direct Fit.

DF - Direct Fit Muffler

U - Universal Muffler

HS - Denotes Heat Shield is on muffler.