


CATALYTIC CONVERTERS

6020**/6022** Series

STANDARD DUTY

STANDARD DUTY	EPA Eng./Test Weight
2-WAY	5.9L, 5500 lbs
3-WAY	5.9L, 5500 lbs
3-WAY, w/Air	5.9L, 5500 lbs

Oval - w/Air Tube




INLET/I.D.

OUTLET/I.D.

602003	1-3/4"	1-3/4" w/air tube
602004	2"	2" w/air tube
602005	2-1/4"	2-1/4" w/air tube
602006	2-1/2"	2-1/2" w/air tube
602007	3"	3" w/air tube

Oval - w/o Air Tube



INLET/I.D.

OUTLET/I.D.


602203	1-3/4"	1-3/4" w/o air tube
602204	2"	2" w/o air tube
602205	2-1/4"	2-1/4" w/o air tube
602206	2-1/2"	2-1/2" w/o air tube
602207	3"	3" w/o air tube

602*** SPECIALTY

STANDARD DUTY

STANDARD DUTY	EPA Eng./Test Weight
2-WAY	5.9L, 5500 lbs
3-WAY	5.9L, 5500 lbs
3-WAY, w/Air	5.9L, 5500 lbs

Round - w/o Air Tube




INLET/I.D.

OUTLET/I.D.

602213	1-3/4"	1-3/4" w/o air tube
602214	2"	2" w/o air tube
602215	2-1/4"	2-1/4" w/o air tube, 13" OAL
602216	2-1/2"	2-1/2" w/o air tube, 13" OAL

Oval - w/o Air Tube



INLET/I.D.

OUTLET/I.D.


602295	2-1/4"	2-1/4"
602296	2-1/2"	2-1/2"

CATALYTIC CONVERTERS

602*** SPECIALITY - Pre-OBDI

EPA Pre-OBDI BY DESIGN

Made to keep the "Light Off" (MIL check engine light).




SPUN BODY	EPA Eng./Test Weight
2-WAY	5.9L, 6000 lbs
3-WAY	5.9L, 6000 lbs
3-WAY, w/Air	5.9L, 6000 lbs

	INLET/I.D.	OUTLET/I.D.
602384	2"	2"
602385	2-1/4"	2-1/4"
602386	2-1/2"	2-1/2"
602387	3"	3"

6025** Series

ENHANCED STANDARD DUTY

Oval - w/Air Tube




ENHANCED STANDARD DUTY	EPA Eng./Test Weight
2-WAY	5.9L, 6515 lbs
3-WAY	5.9L, 6515 lbs
3-WAY, w/Air	5.9L, 6515 lbs

	INLET/I.D.	OUTLET/I.D.
602534	2"	2" w/air tube
602535	2-1/4"	2-1/4" w/air tube
602536	2-1/2"	2-1/2" w/air tube
602537	3"	3" w/air tube

Can be used as alternate converters to 602000, 602200 and 602500 Series converters.

Oval - w/o Air Tube



	INLET/I.D.	OUTLET/I.D.
602543	1-3/4"	1-3/4" w/o air tube
602544	2"	2" w/o air tube
602545	2-1/4"	2-1/4" w/o air tube
602546	2-1/2"	2-1/2" w/o air tube
602547	3"	3" w/o air tube

Can be used as alternate converters to 602000, 602200 and 602500 Series converters.


CATALYTIC CONVERTERS

603*** Series

MEDIUM DUTY

MEDIUM DUTY	EPA Eng./Test Weight
2-WAY	5.9L, 5500 lbs
3-WAY	5.9L, 5500 lbs
3-WAY, w/Air	5.9L, 5500 lbs

Oval - w/Air Tube



603040


INLET/I.D.

2" Dual Inlets
w/O2 Sensor port

OUTLET/I.D.

2-1/2" w/air tube

Oval - w/o Air Tube



603240

INLET/I.D.

2" Dual, w/O2 Sensor port

OUTLET/I.D.


2-1/2"

6040** Series

HEAVY DUTY

HEAVY DUTY	EPA Eng./Test Weight
2-WAY	7.7L, 7000 lbs
3-WAY	7.5L, 7000 lbs

Oval - w/o Air Tube



604006

INLET/I.D.

2-1/2"

OUTLET/I.D.

2-1/2"

604007

3"


3"

6050** Series

HEAVY DUTY

HEAVY DUTY	EPA Eng./Test Weight
2-WAY	7.7L, 7000 lbs
3-WAY	7.5L, 7000 lbs
3-WAY, w/Air	7.5L, 7000 lbs

Oval - w/Air Tube



605006

INLET/I.D.

2-1/2"

OUTLET/I.D.

2-1/2"

605007

3"


3"

CATALYTIC CONVERTERS

6060** Series

SUPER DUTY

Oval - w/o Air Tube



SUPER DUTY

EPA Eng./GVWR

2-WAY	7.5L, 15000 lbs or less
3-WAY	7.5L, 15000 lbs or less

INLET/I.D.


OUTLET/I.D.

606007	3"	3" w/o air tube
---------------	----	-----------------

6070** Series

SUPER DUTY

Oval - w/Air Tube



SUPER DUTY

EPA Eng./GVWR

2-WAY	7.5L, 15000 lbs or less
3-WAY	7.5L, 15000 lbs or less
3-WAY, w/Air	7.5L, 15000 lbs or less

INLET/I.D.


OUTLET/I.D.

607007	3"	3" w/Dual air tubes
---------------	----	---------------------

6063**/6074** Series

TORPEDO - OEM Style Ford Truck Converters

Round - w/o Air Tube



Torpedo Series

EPA Eng./GVWR

3-WAY	8.3L, 14,000 lbs
3-WAY w/Air	8.3L, 14,000 lbs

INLET/I.D.

OUTLET/I.D.

606307	3"	3" w/o O2 Sensor port/Airtubes
607407	3"	3" w/O2 Sensor port/Airtubes

CATALYTIC CONVERTERS

608*** Series OBDII Vehicles up to LEV


EPA OBDII BY DESIGN

Made to keep the "Light Off" (MIL check engine light).

EPA OBD II EPA Eng./Test Weight

3-WAY	5.9L, 6250 lbs
3-WAY w/Air	5.9L, 6250 lbs


Oval - w/o Air Tube



Units have O2 Sensor port in Outlet, unless otherwise noted

	INLET/I.D.	OUTLET/I.D.
608204	2"	2" w/O2 Sensor port
608205	2-1/4"	2-1/4" w/O2 Sensor port
608206	2-1/2"	2-1/2" w/O2 Sensor port


Round - w/o Air Tube



Units have O2 Sensor port in Outlet, unless otherwise noted

	INLET/I.D.	OUTLET/I.D.
608214	2"	2" w/O2 Sensor port
608215	2-1/4"	2-1/4" w/O2 Sensor port
608216	2-1/2"	2-1/2" w/O2 Sensor port
608217	3"	3" w/O2 Sensor port


Oval - w/o Air Tube



INLET/I.D. OUTLET/I.D.

608224	2"	2" w/O2 Sensor port
608225	2-1/4"	2-1/4" w/O2 Sensor port
608226	2-1/2"	2-1/2" w/O2 Sensor port
608227	3"	3" w/O2 Sensor port

Oval - w/o Air Tube



INLET/I.D. OUTLET/I.D.

608234	2"	2" w/Two O2 Sensor ports
608235	2-1/4"	2-1/4" w/Two O2 Sensor ports

CATALYTIC CONVERTERS

608*** Series - (cont.) OBDII Vehicles up to LEV

EPA OBDII BY DESIGN

Made to keep the "Light Off" (MIL check engine light).

EPA OBD II

EPA Eng./Test Weight


3-WAY

5.9L, 6250 lbs

3-WAY w/Air

5.9L, 6250 lbs

Oval - w/Air Tube



INLET/I.D.


608006

2-1/2"

OUTLET/I.D.

2-1/2" w/air tube

Oval - w/o Air Tube



INLET/I.D.


608240

2" Dual

OUTLET/I.D.

2-1/2" w/Two O2
Sensor ports

Round - w/o Air Tube



INLET/I.D.

608254

2"

OUTLET/I.D.

2" w/O2 sensor port at
middle of shell

608255

2-1/4"


2-1/4" w/O2 sensor port at
middle of shell

608256

2-1/2"

2-1/2" w/O2 sensor port at
middle of shell

Oval - w/o Air Tube



INLET/I.D.

608294

2"

OUTLET/I.D.

2" w/O2 Sensor port

608295

2-1/4"

2-1/4" w/O2 Sensor port

CATALYTIC CONVERTERS

608*** Series OBDII Vehicles up to LEV


EPA OBDII BY DESIGN

Made to keep the "Light Off" (MIL check engine light).

EPA OBD II EPA Eng./Test Weight

2-WAY	5.9L, 5500 lbs
3-WAY	5.9L, 5500 lbs

Round - No Necks, w/o Air Tube




INLET/I.D.

OUTLET/I.D.

608364	2"	2"
608365	2-1/4"	2-1/4"
608366	2-1/2"	2-1/2"

Round - No Necks, w/o Air Tube



INLET/I.D.

OUTLET/I.D.

608374	2" Angled	2"
608375	2-1/4" Angled	2-1/4"
608376	2-1/2" Angled	2-1/2"

608*** Series OBDII Vehicles up to LEV


EPA OBDII BY DESIGN

Made to keep the "Light Off" (MIL check engine light).

EPA OBD II EPA Eng./Test Weight

3-WAY	5.9L, 6000 lbs
3-WAY w/Air	5.9L, 6000 lbs

Spun Body one-piece design Round - w/o Air Tube



INLET/I.D.

OUTLET/I.D.

608384	2"	2"
608385	2-1/4"	2-1/4"
608395	2-1/4"	2-1/4" w/O ₂ Sensor Fitting
608386	2-1/2"	2-1/2"
608396	2-1/2"	2-1/2" w/O ₂ Sensor Fitting
608387	3"	3"
608397	3"	3" w/O ₂ Sensor Fitting

CATALYTIC CONVERTERS


608*** Series LEVII and Cleaner Applications

EPA OBDII BY DESIGN

These parts utilize a higher precious metal loading for LEVII and cleaner emission standards.


EPA OBD II	EPA Eng./Test Weight
3-WAY	5.9L, 6250 lbs
3-WAY w/Air	5.9L, 6250 lbs

Round - w/o Air Tube




	INLET/I.D.	OUTLET/I.D.
608264	2"	2" w/O2 Sensor port
608265	2-1/4"	2-1/4" w/O2 Sensor port
608266	2-1/2"	2-1/2" w/O2 Sensor port

Special Body - Angled Inlet and Outlet, w/o Air Tube




	INLET/I.D.	OUTLET/I.D.
608274	2"	2"
608275	2-1/4"	2-1/4"
608276	2-1/2"	2-1/2"

Special Body - Angled Inlet, w/o Air Tube



	INLET/I.D.	OUTLET/I.D.
608284	2"	2"
608285	2-1/4"	2-1/4"
608286	2-1/2"	2-1/2"

Round - w/o Air Tube



	INLET/I.D.	OUTLET/I.D.
608314	2"	2" w/O2 sensor port at middle of shell
608315	2-1/4"	2-1/4" w/O2 sensor port at middle of shell

CATALYTIC CONVERTERS


608*** Series - (cont.) LEVII and Cleaner Applications

EPA OBDII BY DESIGN

These parts utilize a higher precious metal loading for LEVII and cleaner emission standards.

EPA OBD II	EPA Eng./Test Weight
3-WAY	5.9L, 6250 lbs
3-WAY w/Air	5.9L, 6250 lbs

Round - w/o Air Tube




INLET/I.D.

608316 2-1/2"

OUTLET/I.D.

2-1/2" w/O2 sensor port at middle of shell

Round - w/o Air Tube




INLET/I.D.

608326 2-1/2"

OUTLET/I.D.

2-1/2" w/Two O2 sensor ports, one at middle of shell & one at left top inlet

Oval - w/o Air Tube




INLET/I.D.

OUTLET/I.D.

608404	2"	2"
608405	2-1/4"	2-1/4"
608406	2-1/2"	2-1/2"
608407	3"	3"

Round - w/o Air Tube



INLET/I.D.

OUTLET/I.D.

608414	2"	2"
608415	2-1/4"	2-1/4"
608416	2-1/2"	2-1/2"
608417	3"	3"

CATALYTIC CONVERTERS


608*** Series - (cont.) LEVII and Cleaner Applications

EPA OBDII BY DESIGN

These parts utilize a higher precious metal loading for LEVII and cleaner emission standards.

EPA OBD II	EPA Eng./Test Weight
3-WAY	5.9L, 6250 lbs
3-WAY w/Air	5.9L, 6250 lbs

Oval - w/o Air Tube



	INLET/I.D.	OUTLET/I.D.
608434	2"	2"
608435	2-1/4"	2-1/4"
608436	2-1/2"	2-1/2"
608437	3"	3"


6088** Series - LEVII and Cleaner Applications

EPA OBDII BY DESIGN

These parts utilize a higher precious metal loading for LEVII and cleaner emission standards.

EPA OBD II	EPA Eng./Test Weight
3-WAY	5.9L, 6250 lbs
3-WAY w/Air	5.9L, 6250 lbs

Spun Units



	INLET/I.D.	OUTLET/I.D.
608824	2"	2"
608825	2-1/4"	2-1/4"
608826	2-1/2"	2-1/2"

CATALYTIC CONVERTERS

SELECT+PLUS TechSeries ULEV and Cleaner Applications

Contains approximately 40% higher precious metal content than most aftermarket brands.


EPA OBD II

3-WAY

EPA Eng./Test Weight

5.9L, 6500 lbs

Round - w/o Air Tube




INLET/I.D.

OUTLET/I.D.

608704	2"	2"
608705	2-1/4"	2-1/4"
608706	2-1/2"	2-1/2"

Round - w/o Air Tube



INLET/I.D.

OUTLET/I.D.

608714	2"	2"
608715	2-1/4"	2-1/4"
608716	2-1/2"	2-1/2"

Round - w/o Air Tube




INLET/I.D.

OUTLET/I.D.

608734	2"	2"
608735	2-1/4"	2-1/4"
608736	2-1/2"	2-1/2"
608737	3"	3"

Round - w/o Air Tube




INLET/I.D.

OUTLET/I.D.

608744	2"	2"
608745	2-1/4"	2-1/4"
608746	2-1/2"	2-1/2"
608747	3"	3"

Round - w/o Air Tube



INLET/I.D.

OUTLET/I.D.

608754	2"	2"
608755	2-1/4"	2-1/4"
608756	2-1/2"	2-1/2"
608757	3"	3"


CATALYTIC CONVERTERS

SUPER SELECT+ TechSeries

Advanced wash coat technology & enhanced metal loading.

EPA OBD II	EPA Eng./Test Weight
3-WAY	6.2L, 9,000 lbs

Round - w/o Air Tube




	INLET/I.D.	OUTLET/I.D.
608894	2"	2"
608895	2-1/4"	2-1/4"
608896	2-1/2"	2-1/2"
608897	3"	3"

6090** Series

LARGE BODY SUPER X DUTY


SPECIAL	EPA Eng./Test Weight
2-WAY	5.9L, 6515 lbs
3-WAY	5.9L, 6515 lbs
3-WAY, w/Air	5.9L, 6515 lbs

Oval - w/Air Tube




	INLET/I.D.	OUTLET/I.D.
609004	2"	2" w/air tube
609005	2-1/4"	2-1/4" w/air tube
609006	2-1/2"	2-1/2" w/air tube

Oval - w/o Air Tube



	INLET/I.D.	OUTLET/I.D.
609007	3"	3" w/o air tube

Oval




	INLET/I.D.	OUTLET/I.D.
609244	2" Dual, w/O ₂ Sensor port	2-1/2" w/o air tube
609044	2" Dual, w/O ₂ Sensor port	2-1/2" w/air tube

OEM GRADE UNIVERSAL CONVERTERS

EPA and California Emissions Compliant Series




OBDII 378 CID | 6.2L • 6375lbs




SHORT ROUND

IN/OUT	PART#
1.75"	51203
2"	51204
2.25"	51205
2.5"	51206
3"	51209




SHORT ROUND • SINGLE SENSOR

IN/OUT	PART#
1.75"	51233
2"	51234
2.25"	51235
2.5"	51236




SHORT OVAL

IN/OUT	PART#
2"	51104
2.25"	51105
2.5"	51106
3"	51109




SHORT OVAL • SINGLE SENSOR

IN/OUT	PART#
2"	51134
2.25"	51135
2.5"	51136



LONG ROUND • SINGLE SENSOR


IN/OUT	PART#
2"	51304
2.25"	51305
2.5"	51306
3"	51309



LONG ROUND • SINGLE SENSOR


IN/OUT	PART#
1.75"	51353
2"	51354
2.25"	51355
2.5"	51356

DIRECTIONAL




LONG ROUND • ANGLED SENSOR

IN/OUT	PART#
2"	52324
2.25"	52325
2.5"	52326



STANDARD OVAL

IN/OUT	PART#
S/D 2.5"/2"	51607 NO SENSOR
S/D 2.5"/2"	51667 DUAL SENSOR
S/D 3"/2"	51647 SINGLE SENSOR



STANDARD OVAL • DUAL SENSOR

IN/OUT	PART#
2"	51064
2.25"	51065
2.5"	51066
3"	51069

Special Reversible Unit For Left & Right Hand Side O2 Sensor Applications




STANDARD OVAL • SINGLE SENSOR

IN/OUT	PART#
2"	51034
2.25"	51035
2.5"	51036
3"	51039




STANDARD OVAL

IN/OUT	PART#
2"	51004
2.25"	51005
2.5"	51006
3"	51009



SMALL OVAL • ANGLE / ANGLE

IN/OUT	PART#
2"	51184
2.25"	51185
2.5"	51186



SMALL OVAL • CENTER / ANGLE

IN/OUT	PART#
2"	51174
2.25"	51175
2.5"	51176

What are OEM Grade Converters?

OEM Grade catalytic converters are formulated with the highest levels of precious metals, along with the most thermally durable active elements. These catalytic converters are engineered to function with OBDII EPA and California emissions equipped vehicles ensuring low emissions compliance, engine management compatibility, satisfaction of onboard diagnostic catalyst efficiency codes and conclusively keeping the light off.

Note: Not legal for sale or use in New York, Colorado or California



SPUN OBDII 378 CID | 6.2L • 6375lbs

4"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2"	51754
2.25"	51755
2.5"	51756
3"	51759

5"

CENTER / ANGLE CERAMIC	
IN/OUT	PART#
2"	51774
2.25"	51775
2.5"	51776
3"	51779

5"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2"	51654
2.25"	51655
2.5"	51656
3"	51659

5"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2016+ GM 4.3, 5.3 & 6.2 2007-2019 Toyota 4.6 & 5.7	
2.25"	51045
2.5"	51046
3"	51049
2014 - 2015 GM 4.3, 5.3, 6.2 No O2 Sensor	
2.5"	51956
3"	51959

5"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2"	79314
2.25"	79315
2.5"	79316
3"	79319

6"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2009-2023 FORD E/F-SERIES E-450, F-53, F-59, F-350 F-450, F-550, F-650, F-750 5.4, 6.8, 7.3	
3"	51299

6"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2010-2023 GM MD/HD-SERIES GAS CHEVY/GMC 2500/3500/4500 V8 4.3L, 4.8L, 6.0L, 6.6L	
3"	51809

5"

CENTER / CENTER CERAMIC	
IN/OUT	PART#
2009-2019 FORD E-SERIES E-250, E-350 SD V8 5.4, 6.8	
2.5"	51366

OBDII 477 CID | 7.8L • 7000lbs

STANDARD OVAL

IN/OUT	PART#
2"	51554
2.25"	51555
2.5"	51556
3"	51559

STANDARD OVAL • SINGLE SENSOR

IN/OUT	PART#
S/D 2.5"/2"	51007 NO SENSOR
S/D 3"/2"	51047 SINGLE SENSOR

STANDARD OVAL • DUAL SENSOR

IN/OUT	PART#
S/D 2.5"/2"	51067

OBDII 477 CID | 7.8L • 13000lbs

LARGE OVAL

IN/OUT	PART#
2.25"	51505
2.5"	51506
3"	51509

Premium Metallic Substrate Spun OBDII EPA Compliant / ULEV LEV II Emissions

4"

CENTER / CENTER METALLIC	
IN/OUT	PART NUMBER
2.5"	69006
3"	69009


5"

CENTER / CENTER METALLIC	
IN/OUT	PART NUMBER
3"	69019
3.5"	69011
4"	69012

NEW OEM GRADE UNIVERSAL SPUN BODY


EPA and California Emissions Compliant Series

1. High oxygen storage capacity 2. High precious metal loading 3. Enhanced thermal stability 4. High flow smooth transition end cones



**Keep the
Light Off**

5"




CENTER / CENTER CERAMIC

IN/OUT	PART#
--------	-------

SPUN OBDII 415 CID | 6.8L • 14500LBS
FORD E-SERIES | 2009 - 2019 5.4L, 6.8L


2.5"	51366
------	-------

14500LBS



**Keep the
Light Off**

6"




CENTER / CENTER CERAMIC

IN/OUT	PART#
--------	-------

SPUN OBDII 403 CID | 6.6L • 19000LBS
GM MD/HD TRUCK SERIES | 2010 - 2023 4.3L, 4.8L, 6.0L, 6.6L


3"	51809
----	-------

19000LBS



**Keep the
Light Off**

6"



CENTER / CENTER CERAMIC | O2 BUNG

IN/OUT	PART#
--------	-------

SPUN OBDII 445 CID | 7.3L • 26000LBS
FORD E & F-SERIES
2009 - 2023 5.4L, 6.8L, 7.3L

3"	51299
----	-------

26000LBS

5 YEAR WARRANTY 50,000 miles construction
25,000 miles emissions

Not legal for sale or use in New York, Colorado or California



CATALYTIC CONVERTER



- STAINLESS STEEL NECK & BODY
- HIGH CONCENTRATION OF PRECIOUS METALS AS PD, PT, RH.

- SEAM WELDED BODY
- UNIVERSAL CATALYTIC CONVERTERS EPA OBD II

4" ROUND CENTER 02 PORT DOUBLE BRICK

2" 43354

2.25" 43355

\$69.95 EACH

2.5" 43356

4" ROUND REAR 02 PORT DOUBLE BRICK

2" 43304

2.25" 43305

\$69.95 EACH

2.5" 43306

4" ROUND REAR ANGLED 02 PORT SINGLE BRICK

2" 43264

2.25" 43265

\$69.95 EACH

2.5" 43266

OVAL BODY NO 02 PORT

2.50" 43556

3" 43557

\$69.95 EACH

5" ROUND CENTER AND REAR 02 PORT

2.25" 560895

2.50" 560896

\$182.31 EACH

3" 560897

Universal

New GENERATION SPUN FORMED CONVERTER One Piece Polished Stainless Steel • Zero Leakage – Fits Tight Applications

**2 & 3 Way - 5.9L/6,000 Lbs.
4" Round x 11" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
410175	1 ¾"
410200	2"
410225	2 ¼"
410250	2 ½"
410300	3"



**300 Cell - Hi Flow 2 & 3 Way - 5.9L/6,000 Lbs.
Metallic Substrate • 4" Round x 11" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
415200	2"
415225	2 ¼"
415250	2 ½"
415300	3"



**2 & 3 Way • With O2 Sensor Port - 5.9/6,000 Lbs.
4" Round x 11" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
425175	1 ¾"
425200	2"
425225	2 ¼"
425250	2 ½"
425300	3"



HEAVY LOAD
THE "SPUN SOLUTION" CONVERTER
Heavy Duty • 5.9L/6,000 Lbs.
4" Round x 13" Long
OBDII Compliant (Exc. Calif.)

Part #	Inlet/Outlet
435200	2"
435225	2 ¼"
435250	2 ½"
435300	3"



*Designed for problem engines
i.e. GM 3.1L, 3.4L, 3.8L

HEAVY LOAD
THE "SPUN SOLUTION" CONVERTER
With O2 Sensor Port
Heavy Duty • 5.9L/6,000 Lbs.
4" Round x 13" Long
OBDII Compliant (Exc. Calif.)

Part #	Inlet/Outlet
445200	2"
445225	2 ¼"
445250	2 ½"
445300	3"




**2 & 3 Way - 5.9L/6,000 Lbs. • Angled Inlet or Outlet
4" Round x 8" Long • OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
402200	2"
402225	2 ¼"



HEAVY LOAD
Honda
With Angled O2 Sensor Port
5.9L/6,000 Lbs.
4" Round x 13" Long
OBDII Compliant (Exc. Calif.)

Part #	Inlet/Outlet
455200	2"
455225	2 ¼"
455250	2 ½"



HEAVY LOAD

THE "SPUN SOLUTION" CONVERTER
Heavy Duty • 5.9L/6,000 Lbs.
2 & 3 Way - 5.9L/6,000 Lbs. • Angle Inlet or Outlet
4" Round x 8" Long • OBDII Compliant (Exc. Calif.)

Part #	Inlet/Outlet
702225	2 ¼"



SMALL DIESEL UNIVERSAL CONVERTER
4" Round x 11" Long

Part #	Inlet/Outlet
810200	2"
810225	2 ¼"





Catalytic Converters

Universal - Oval

**2 Way, 3 Way, 3 Way + Air
5.9L / 6,000 Lbs. • 16" Long • With Air Tube**

Part #	Inlet/Outlet
610003	1 ¾"
610004	2"
610005	2 ¼"
610006	2 ½"
610007	3"



**OBDII - 5.9L/6,000 Lbs. • 16" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
590003	1 ¾"
590004	2"
590005	2 ¼"
590006	2 ½"
590007	3"



**5.9L / 6,000 Lbs. • 16" Long
With O2 Sensor Port
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
610175	1 ¾"
610200	2"
610225	2 ¼"
610250	2 ½"
610300	3"



**5.9L / 6,000 Lbs. • 16" Long
With Dual O2 Sensor Port
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
610539	2"
610540	2 ¼"
610546	2 ½"
610547	3"



**5.9L / 6,000 Lbs. • 16" Long
With Dual O2 Sensor Ports
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
610513	Inlet/Outlet Dual 2" Inlet x 2 ½" Outlet



**2 Way, 3 Way, 3 Way + Air
Large Capacity - 10,000 Lbs.
18" Long with Air Tube**

Part #	Inlet/Outlet
910225	2 ¼"
910250	2 ½"
910300	3"



* Available with O2 Sensor Port

**Large Capacity - 10,000 Lbs. • 18" Long
With Dual O2 Sensor Ports
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
910513	Dual 2 ¼" Inlet x 2 ½" Outlet



**HEAVY
LOAD**

**5.9L/6,000 Lbs.
16" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
790004	2"
790005	2 ¼"
790006	2 ½"
790007	3"



**HEAVY
LOAD**

**5.9L/6,000 Lbs.
With O2 Sensor Port
16" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
790200	2"
790225	2 ¼"
790250	2 ½"
790300	3"



**HEAVY
LOAD**

**5.9L/6,000 Lbs.
With Mid-Bed O2 Sensor Port
16" Long
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
755200	2"
755225	2 ¼"
755250	2 ½"
755300	3"



**HEAVY
LOAD**

**5.9L / 6,000 Lbs. • 16" Long
With Dual O2 Sensor Ports
OBDII Compliant (Exc. Calif.)**

Part #	Inlet/Outlet
790513	Inlet/Outlet Dual 2" Inlet x 2 ½" Outlet



ACCESSORIES



#63-45
O2 SENSOR NUT / ANGLED
½" x M 18/1.5



#63
O2 SENSOR NUT
½" x M 18/1.5



#107
O2 SENSOR PORT PLUG
½" x M 18/1.5